

Seymour Entrance Systems

DOOR SIZE CHART FOR 1 7/16" JAMB THICKNESS (WOOD)

For Storm Doors use 30", 32", 34" or 36" widths.
Use 80 1/2" heights for 80" door, use 82 1/2" for 82" door.

SINGLE DOOR

O/A Cladded Width	N/A	34 1/8	36 1/8	38 1/8	40 1/8	46 1/8				
Overall Width	N/A	33 7/8	35 7/8	37 7/8	39 7/8	45 7/8				
RSO	N/A	32 7/8	34 7/8	36 7/8	38 7/8	44 7/8				
Frame Width	N/A	31 7/8	33 7/8	35 7/8	37 7/8	43 7/8				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	YES	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	YES	84 3/8	85	85 1/2	85 5/8

SINGLE DOOR AND ONE 12" SIDELITE

O/A Cladded Width	N/A	47 7/8	49 7/8	51 7/8	53 7/8	N/A				
Overall Width	N/A	47 5/8	49 5/8	51 5/8	53 5/8	N/A				
RSO	N/A	46 5/8	48 5/8	50 5/8	52 5/8	N/A				
Frame Width	N/A	45 5/8	47 5/8	49 5/8	51 5/8	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

SINGLE DOOR AND ONE 14" SIDELITE

O/A Cladded Width	N/A	49 7/8	51 7/8	53 7/8	55 7/8	N/A				
Overall Width	N/A	49 5/8	51 5/8	53 5/8	55 5/8	N/A				
RSO	N/A	48 5/8	50 5/8	52 5/8	54 5/8	N/A				
Frame Width	N/A	47 5/8	49 5/8	51 5/8	53 5/8	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

NOTES:

Accurate to within 1/8" either way due to planing of wood.

Overall Width = installed brickmould measurement (2" wide x 1 1/4" deep), Overall Cladded Width = with brickmould and cladding.

The use of an accessible sill will reduce the overall jamb height by 1 1/4"

Outswing systems will reduce the overall jamb height by 7/8"

Seymour Entrance Systems

DOOR SIZE CHART FOR 1 7/16" JAMB THICKNESS (WOOD)

SINGLE DOOR AND ONE HINGED 12" SIDELITE

O/A Cladded Width	N/A	46 3/4	48 3/4	50 3/4	52 3/4	N/A				
Overall Width	N/A	46 1/2	48 1/2	50 1/2	52 1/2	N/A				
RSO	N/A	45 1/2	47 1/2	49 1/2	51 1/2	N/A				
Frame Width	N/A	44 1/2	46 1/2	48 1/2	50 1/2	N/A				
Door Size With Sweep	29" Width (28 3/4")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

SINGLE DOOR AND ONE HINGED 14" SIDELITE

O/A Cladded Width	N/A	48 3/4	50 3/4	52 3/4	54 3/4	N/A				
Overall Width	N/A	48 1/2	50 1/2	52 1/2	54 1/2	N/A				
RSO	N/A	47 1/2	49 1/2	51 1/2	53 1/2	N/A				
Frame Width	N/A	46 1/2	48 1/2	50 1/2	52 1/2	N/A				
Door Size With Sweep	29" Width (28 3/4")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

SINGLE DOOR AND TWO 12" SIDELITES

O/A Cladded Width	N/A	61 5/8	63 5/8	65 5/8	67 5/8	N/A				
Overall Width	N/A	61 3/8	63 3/8	65 3/8	67 3/8	N/A				
RSO	N/A	60 3/8	62 3/8	64 3/8	66 3/8	N/A				
Frame Width	N/A	59 3/8	61 3/8	63 3/8	65 3/8	N/A				
Door Size With Sweep	29" Width (28 3/4")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

SINGLE DOOR AND TWO 14" SIDELITES

O/A Cladded Width	N/A	65 5/8	67 5/8	69 5/8	71 5/8	N/A				
Overall Width	N/A	65 3/8	67 3/8	69 3/8	71 3/8	N/A				
RSO	N/A	64 3/8	66 3/8	68 3/8	70 3/8	N/A				
Frame Width	N/A	63 3/8	65 3/8	67 3/8	69 3/8	N/A				
Door Size With Sweep	29" Width (28 3/4")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

NOTES:

Accurate to within 1/8" either way due to planing of wood.

Overall Width = installed brickmould measurement (2" wide x 1 1/4" deep), Overall Cladded Width = with brickmould and cladding.

The use of an accessible sill will reduce the overall jamb height by 1 1/4"

Outswing systems will reduce the overall jamb height by 7/8"

Seymour Entrance Systems

DOOR SIZE CHART FOR 1 7/16" JAMB THICKNESS (WOOD)

FRENCH DOOR (DOUBLE DOORS)

O/A Cladded Width	N/A	64 1/2	68 1/2	72 1/2	76 1/2	N/A				
Overall Width	N/A	64 1/4	68 1/4	72 1/4	76 1/4	N/A				
RSO	N/A	63 1/4	67 1/4	71 1/4	75 1/4	N/A				
Frame Width	N/A	62 1/4	66 1/4	70 1/4	74 1/4	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

FRENCH DOOR (DOUBLE DOORS) WITH ONE 12" SIDELITE

O/A Cladded Width	N/A	78 1/4	82 1/4	86 1/4	90 1/4	N/A				
Overall Width	N/A	78	82	86	90	N/A				
RSO	N/A	77	81	85	89	N/A				
Frame Width	N/A	76	80	84	88	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

FRENCH DOOR (DOUBLE DOORS) WITH ONE 14" SIDELITE

O/A Cladded Width	N/A	80 1/4	84 1/4	88 1/4	92 1/4	N/A				
Overall Width	N/A	80	84	88	92	N/A				
RSO	N/A	79	83	87	91	N/A				
Frame Width	N/A	78	82	86	90	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

FRENCH DOOR (DOUBLE DOORS) WITH TWO 12" SIDELITES

O/A Cladded Width	N/A	92	96	100	104	N/A				
Overall Width	N/A	91 3/4	95 3/4	99 3/4	103 3/4	N/A				
RSO	N/A	90 3/4	94 3/4	98 3/4	102 3/4	N/A				
Frame Width	N/A	89 3/4	93 3/4	97 3/4	101 3/4	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

FRENCH DOOR (DOUBLE DOORS) WITH TWO 14" SIDELITES

O/A Cladded Width	N/A	96	100	104	108	N/A				
Overall Width	N/A	95 3/4	99 3/4	103 3/4	107 3/4	N/A				
RSO	N/A	94 3/4	98 3/4	102 3/4	106 3/4	N/A				
Frame Width	N/A	93 3/4	97 3/4	101 3/4	105 3/4	N/A				
Door Size	29" Width	30" Width	32" Width	34" Width	36" Width	42" Width	Frame Height	RSO	Overall Height	O/A Cladded Height
With Sweep	(28 3/4")	(29 3/4")	(31 3/4")	(33 3/4")	(35 3/4")	(41 3/4")				
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8
82" (81") Std Height	N/A	YES	YES	YES	YES	N/A	84 3/8	85	85 1/2	85 5/8

NOTES:

Accurate to within 1/8" either way due to planing of wood.

Overall Width = installed brickmould measurement (2" wide x 1 1/4" deep), Overall Cladded Width = with brickmould and cladding.

The use of an accessible sill will reduce the overall jamb height by 1 1/4"

Outswing systems will reduce the overall jamb height by 7/8"

Seymour Entrance Systems

DOOR SIZE CHART FOR 1 7/16" JAMB THICKNESS (WOOD)

2 PANEL GARDEN DOOR

O/A Cladded Width	61 1/2	64 1/2	68 1/2	72 1/2	76 1/2	N/A				
Overall Width	61 1/4	64 1/4	68 1/4	72 1/4	76 1/4	N/A				
RSO	60 1/4	63 1/4	67 1/4	71 1/4	75 1/4	N/A				
Frame Width	59 1/4	62 1/4	66 1/4	70 1/4	74 1/4	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
78" (76 5/16") Std Height	YES	N/A	N/A	YES	N/A	N/A	79 5/8	80 1/4	80 3/4	80 7/8
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

2 PANEL GARDEN DOOR WITH ONE 12" SIDELITE

O/A Cladded Width	N/A	78 1/4	82 1/4	86 1/4	90 1/4	N/A				
Overall Width	N/A	78	82	86	90	N/A				
RSO	N/A	77	81	85	89	N/A				
Frame Width	N/A	76	80	84	88	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

2 PANEL GARDEN DOOR WITH ONE 14" SIDELITE

O/A Cladded Width	N/A	80 1/4	84 1/4	88 1/4	92 1/4	N/A				
Overall Width	N/A	80	84	88	92	N/A				
RSO	N/A	79	83	87	91	N/A				
Frame Width	N/A	78	82	86	90	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

2 PANEL GARDEN DOOR WITH TWO 12" SIDELITES

O/A Cladded Width	N/A	92	96	100	104	N/A				
Overall Width	N/A	91 3/4	95 3/4	99 3/4	103 3/4	N/A				
RSO	N/A	90 3/4	94 3/4	98 3/4	102 3/4	N/A				
Frame Width	N/A	89 3/4	93 3/4	97 3/4	101 3/4	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

2 PANEL GARDEN DOOR WITH TWO 14" SIDELITES

O/A Cladded Width	N/A	96	100	104	108	N/A				
Overall Width	N/A	95 3/4	99 3/4	103 3/4	107 3/4	N/A				
RSO	N/A	94 3/4	98 3/4	102 3/4	106 3/4	N/A				
Frame Width	N/A	93 3/4	97 3/4	101 3/4	105 3/4	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

NOTES:

78" Tall sidelites are not standard.

Accurate to within 1/8" either way due to planing of wood.

Overall Width = installed brickmould measurement (2" wide x 1 1/4" deep), Overall Cladded Width = with brickmould and cladding.

The use of an accessible sill will reduce the overall jamb height by 1 1/4"

Outswing systems will reduce the overall jamb height by 7/8"

Seymour Entrance Systems

DOOR SIZE CHART FOR 1 7/16" JAMB THICKNESS (WOOD)

3 PANEL GARDEN DOOR

O/A Cladded Width	90 3/8	94 7/8	100 7/8	106 7/8	112 7/8	N/A				
Overall Width	90 1/8	94 5/8	100 5/8	106 5/8	112 5/8	N/A				
RSO	89 1/8	93 5/8	99 5/8	105 5/8	111 5/8	N/A				
Frame Width	88 1/8	92 5/8	98 5/8	104 5/8	110 5/8	N/A				
Door Size With Sweep	29" Width (28 1/2")	30" Width (29 3/4")	32" Width (31 3/4")	34" Width (33 3/4")	36" Width (35 3/4")	42" Width (41 3/4")	Frame Height	RSO	Overall Height	O/A Cladded Height
78" (76 5/16") Std Height	YES	N/A	N/A	YES	N/A	N/A	79 5/8	80 1/4	80 3/4	80 7/8
80" (79") Std Height	N/A	YES	YES	YES	YES	N/A	82 3/8	83	83 1/2	83 5/8

NOTES:

Accurate to within 1/8" either way due to planing of wood.

Overall Width = installed brickmould measurement (2" wide x 1 1/4" deep), Overall Cladded Width = with brickmould and cladding.

The use of an accessible sill will reduce the overall jamb height by 1 1/4"

Outswing systems will reduce the overall jamb height by 7/8"